

AS Spilka Industri

Date: 11.02.2026



# Opening restrictor overview

## Opening restrictor:

This document gives an overview of the opening restrictor dimensions, installation, and positioning dimensions.

The opening restrictor to be mounted on the lower part of the sash and frame. This device limits initial opening.



The opening restrictor components and recommended fastening screw are listed at the end of this document.

**NOTE! If any adjustment or new components / colours are required Spilka can offer to develop, produce, and deliver such products and/or systems.**

## Opening restrictor:





The opening restrictor to be mounted on the lower part of the sash and frame. This device limits initial opening.

It is operated by slightly closing the sash after it has been opened out against the restrictor and then release the restrictor can be released and the sash further opened.



# Opening restrictor components:


The opening restrictor components are listed in the below table. The screw dimensions are listed but are not part of Spilka scope of supply.

<p><b>1</b></p>	<p><b>Opening restrictor</b></p> 	<p>Item number: Right: 13915 Left: 13916</p> <p>Screw: 4 off <math>\varnothing 4,5</math> x 30 recessed head</p>
<p><b>2</b></p>	<p><b>Guide for keep</b></p> 	<p>Item number: 13921</p> <p>Screw: 2 off <math>\varnothing 4,0</math> x 20 recessed head</p>
<p><b>3</b></p>	<p><b>Keeper opening restrictor</b></p> 	<p>Item number: 13903</p> <p>Screw: 1 off <math>\varnothing 4,0</math> x 20 recessed head</p>
<p><b>2-3</b></p>	<p>Item 1 and 2 mounted on left hand side-hung window.</p> 	<p>Item 1 and 2 mounted on right hand side-hung window.</p> 

# Positioning and installation of opening restrictor:

The opening restrictor position in the window profile is shown in the figures below.


## Vertical positioning:



## Horizontal positioning:

When the opening restrictor is engaged in the ventilation position it will keep the sash in position.

The value in the table is for guidance only. The dimensions may vary depending on the various window profiles.



Module	4	5	6	7	8
A	135	185	235	285	335
B	165	215	265	315	365